	Type	Hits	Search Text	DBs
1	IS&R	0	("9-319007").P N .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	3	"9-319007"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	0	"8-136406"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	0	"10-324403"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	1	"2000-137291"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	0	"11-364134"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	1	"2001-185884"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Туре	Hits	Search Text	DBs
8	BRS	2	"nec" and (uon near hen near pen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	22	nikon and (tsuda near yutaka)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	98	nec and (takahashi near atsushi)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	13	nec and (takahashi near atsushi) and (fan or blow\$3 or cool\$3 or heat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Туре	Hits	Search Text	DBs
12		48	(("5993008") or ("6471357") or ("6641267") or ("4787737") or ("4925295") or ("5951136") or ("6139154") or ("6231191") or ("6419364") or ("6481854") or ("6702444") or ("4773593") or ("4763337") or ("4773593") or ("5418586") or ("5445392") or ("5651599") or ("5988818") or ("5988818") or ("6204481") or ("6334419") or ("6350033") or ("6407799") or ("6350033") or ("6407799") or ("4319463") or ("6221190") or ("6221190") or ("6224248") or ("6224248") or ("62424248") or ("4329955") or ("4387565") or ("4494380") or ("4588385") or ("4770460") or ("4588385") or ("4770460") or ("4950072") or ("4975055") or ("4950072") or ("4975055") or ("5235942")).PN.	US-PGPUB; USPAT
13	IS&R	8098	((353/58,31,33,34,52,57,60,61,122, 119) or (349/5,58,161) or (348/748) or (359/512) or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	28	S13 and (fan or blow\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
15	IS&R	57 ⁻	(353/58).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	2	S16 and (blowing adj direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	BRS	2	S16 and fan and (blowing adj direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	10	S14 and fan and (blowing adj direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	10	S14 and ((fan or blower) with (lamp or (light ad source)) and ((fan or blower) with ("LCD" or (light adj valve) or (liquid adj crystal) or ((spatial or light) adj modulat\$3)))) and (blowing adj direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	9	S14 and ((fan or blower) with (lamp or (light adj source)) and ((fan or blower) with ("LCD" or (light adj valve) or (liquid adj crystal) or ((spatial or light) adj modulat\$3)))) and (blowing adj direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
21	BRS	0	S14 and ((fan or blower) with (lamp or (light adj source)) and ((fan or blower) with ("LCD" or (light adj valve) or (liquid adj crystal) or ((spatial or light) adj modulat\$3)))) and ((blowing adj direction) near1 (chang\$3 or varied or vary\$3 or select\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	7	S23 and fan and (blowing adj direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	IŞ&R	729	(353/58,52,57,60,61).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	BRS	10	S14 and fan and (blowing adj direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	12	("353"/\$ or "348"/\$ or "359"/\$ or "349"/\$ or "352"/\$) and fan and (blowing adj direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	12	("353"/\$ or "348"/\$ or "359"/\$ or "349"/\$ or "352"/\$) and fan and (blowing near direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
27	BRS	35	("353"/\$ or "348"/\$ or "359"/\$ or "349"/\$ or "352"/\$) and fan and (blowing with direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	BRS	23	S28 not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	10	("353"/\$ or "348"/\$ or "359"/\$ or "349"/\$ or "352"/\$) and fan and (blowing with direction with (revers\$3 or chang\$3 or vary\$3 or varied or select\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	529	fan and (blowing with direction with (revers\$3 or chang\$3 or vary\$3 or varied or select\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	BRS	10	("353"/\$ or "348"/\$ or "359"/\$ or "349"/\$ or "352"/\$) and (fan\$1 or blower\$1) and (blowing with direction with (revers\$3 or chang\$3 or vary\$3 or varied or select\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	BRS	12	(US-20040008325-\$ or US-20020047999-\$ or US-20040125343-\$ or US-20020085178-\$).did. or (US-6796660-\$ or US-6334686-\$ or US-6595645-\$ or US-5651599-\$ or US-5418586-\$ or US-6072458-\$ or US-5988818-\$ or US-6558003-\$).did.	

	Type	Hits	Search Text	DBs
33	BRS	0	S33 and ((fan or blower) near remov\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	BRS	9	((fan or blower) near remov\$3) and (blowing with direction with (revers\$3 or chang\$3 or vary\$3 or varied or select\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	IS&R	57	(353/58).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	BRS	2	S36 and (blowing adj direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	BRS	2	S37 and fan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	IS&R	729	(353/58,52,57,60,61).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	BRS	12	S39 and ((removabl\$1 or remov\$3) near2 fan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
40	BRS	15	S39 and ((removabl\$1 or remov\$3) near2 (fan or blower or (cooling adj (device or unit or apparatus or system))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	BRS	15	S39 and ((removabl\$1 or remov\$3) near2 (fan or blower or (cooling adj (device or unit or apparatus or system)))) and (fan or blower or (cooling adj (device or unit or apparatus or system)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	BRS	88	(projector or (project\$3 adj1 (device or apparatus or system or unit or display))) and ((removabl\$1 or remov\$3) near2 (fan or blower or (cooling adj (device or unit or apparatus or system)))) and (fan or blower or (cooling adj (device or unit or apparatus or system)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	BRS	10857	((removabl\$1 or remov\$3) near2 (fan or blower or (cooling adj (device or unit or apparatus or system)))) and (fan or blower or (cooling adj (device or unit or apparatus or system)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	BRS	23	((removabl\$1 or remov\$3) near2 (fan or blower or (cooling adj (device or unit or apparatus or system)))) and (fan or blower or (cooling adj (device or unit or apparatus or system))) and (blowing near direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Туре	Hits	Search Text	DBs
45	BRS	0	remov\$3) near2 (fan or blower or (cooling adj (device or unit or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	BRS		(projector or (project\$3 adj1 (device or apparatus or system or unit or display))) and ((removabl\$1 or remov\$3) near2 (fan or blower or (cooling adj (device or unit or apparatus or system)))) and (fan or blower or (cooling adj (device or unit or apparatus or system))) and ((blowing or (air adj flow\$3)) near1 direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	BRS	230	S39 and ((fan or blower or (cooling adj (device or unit or apparatus or system))) same (rotat\$4 or remov\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	BRS	1 ,	10/109663	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	BRS	3	09/911806	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
				US-PGPUB;
			·	USPAT; USOCR;
50	IS&R	2	("6280038").PN.	EPO; JPO;
				DERWENT;
			*	IBM TDB